



Manual Pallet Truck SBA25

with capacities of 5,500lbs

The World of Hangcha



Introduction



- / High reliability, suitable for a variety of environments. It can be used for 3~5 years under normal maintenance.
- / Casting pump, which prevents any loosening and leakage.
- / High-strength alloy steel fork frame.
- / Set the active safety valve to prevent overloading of operation.
- / 2.1" fork thickness ensures high capacity.

- / Optimized round fork tips ensures easy operation;
- / 2.1" fork thickness ensures high capacity;
- / Curve design on the fork tips help pallets entry in/out.



Hand Pallet Truck SBA25

Model		SBA25
Load capacity/rated load	Q (kg/lb)	2500/5500
Load centre distance	C (mm/in)	600/24
Wheel size, front	mm/in	Φ180×50 / Φ7×2
Wheel size rear (single)	mm/(in)	Φ80×93/74×93 (Φ3×3.7/2.9×3.7)
Wheel size rear (tandem)	mm/in	Φ80×70/74×70 (Φ3×2.8/2.9×2.8)
Lifting height	h ₃ mm/(in)	200/190 (7.8/7.5)
Lowered height	h ₁₃ mm/(in)	85/75 (3.4/3)
Overall length	l ₁ mm/(in)	1534/1604 (60.4/63)
Fork length	s/e/l mm [in]	54/160/1150/1220 [2.1/6.3/45(48)]
Distance between fork-arms	b ₅ mm/(in)	520/550/685 (20/22/27)
Turning radius	W _a mm/(in)	1249/1319 (49/52)

*: Option

forks length is available at:1600mm/63in, 1800mm/71in, 2000mm/79in, 2200mm/87in, 2500mm/98in



HC FORKLIFT AMERICA CORPORATION

Company address:
10405-A Granite Street Charlotte,
NC 28273

Toll Free: 888-652-8395
Phone: 980-888-8335
Fax: 980-888-8336

america@hcforklift.com
www.hcforkliftamerica.com



Follow us on
Facebook



Follow us on
YouTube



Follow us on
WeChat

HANGCHA GROUP CO., LTD. reserves the right to make any changes without notice concerning colors, equipment, or specifications detailed in this brochure, or to discontinue individual models. The colors of trucks, delivered may differ slightly from those in brochures.